

WHITE MASONRY CEMENT**RISK COMMENT:**

- CORROSIVE TO EYE, SKIN AND RESPIRATORY SYSTEM

PRECAUTIONARY MEASURES:

- AVOID EYE AND SKIN CONTACT ESPECIALLY WHEN WET
- WEAR FULL CLOTHING WITH LONG SLEEVES
- WEAR SAFETY GLASSES AND GLOVES

FIRST AID MEASURES:

- IF CONTACT OCCURS, WASH THOROUGHLY WITH WATER WITHOUT DELAY
- WHERE DISCOMFORT PERSISTS, SEEK PROMPT MEDICAL ATTENTION

REFER TO MATERIAL SAFETY DATA SHEET FOR FURTHER INFORMATION:

**CIMENT MACONNERIE BLANC****INDICATION DES RISQUES:**

- CORROSIF POUR LES YEUX, LA PEAU ET LE SYSTEME PULMONAIRE

MESURES DE PREVENTION:

- EVITER CONTACT AVEC LES YEUX ET LA PEAU PERTICULIEREMENT QUAND HUMIDE
- PORTER DES VETEMENTS POUR PROTECTION COMPLETE
- POETER DES EQUIPEMENTS POUR LA PROTECTION DES YEUX ET DES MAINS

MESURES DE SECOURS D'URGENCE:

- EN CAS DE CONTACT, BEIN RINCER AVEC DE L'EAU IMMEDIATEMENT
- EN CAS DE MALAISE PERSISTANT, CONSULTER AUSSITOT UN MEDECIN

POUR PLUS D'INFORMATION, CONSULKTER LA FICHE SIGNALETIQUE:

1-800-265-1806

FEDERAL WHITE CEMENT LTD. WOODSTOCK, ONTARIO

CAUSES BURNS: DO NOT SWALLOW. DO NOT GET IN EYES. DO NOT GET ON SKIN OR CLOTHING. DO NOT BREATHE FUMES. HANDLE WITH CARE. KEEP OUT OF REACH OF CHILDREN. WEAR SAFETY GLASSES, PROTECTIVE CLOTHING AND DUST MASK. USE ONLY IN A WELL-VENTILATED AREA.

FIRST AID TREATMENT: CONTAINS CEMENT, WHEN WET FORMS A CALCIUM HYDROXIDE SOLUTION. IF SWALLOWED CALL A POISON CONTROL CENTER OR DOCTOR IMMEDIATELY. DO NOT INDUCE VOMITING. IF IN EYES, RINSE WITH WATER FOR AT LEAST 15 MINUTES. IF ON SKIN, RINSE WELL WITH WATER. IF ON CLOTHES REMOVE CLOTHES. IF BREATHED IN, MOVE PERSON TO FRESH AIR.

PRO
AVAL
YEUX
OU L
ÉMAN
HORS
DES
VÊTEM
ET UN I
QUE DA
PREMIE
FORME
CALCIUM
D'INGESTI
CENTRE A
PAS PROVO
DE CONTACT
DE L'EAU PE
EN CAS DE C
RINCER AVEC
CONTACT AVEC
CEUX-CI. EN
TRANSPORTER A L
HôPITAL

plastic sheeting. Curing should be continued for a period of five days in warm weather [73 °F (21 °C) or higher] or seven days in cold weather [50 °F to 70 °F (10 °C to 21 °C)]. Curing with plastic

béton est durcie mais il faut utiliser de produits de température inférieures à 10 °C (50 °F) ou à la fin de l'automne. Ils seront utilisés pour faire

QUIKRETE.COM

Do-It-Yourself doesn't mean
IDEAS • ADVICE

First Aid / Premiers Soins:

Important! Read before using. WEAR IMPERVIOUS GLOVES, such as nitrile.

DANGER - CORROSIVE: CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. May cause allergic skin reaction. Portland cement can cause dermatitis or sensitization. Do not mix with other chemical products. Do not swallow. Do not get in eyes or on skin or clothing. Dust may cause irritation. Causes damage to lungs through prolonged or repeated inhalation. Handle with safety glasses. Wash thoroughly after handling. Use only in a well-ventilated area. Do not Wear a CSA approved respirator (mask), such as N95, in poorly ventilated areas, when used for extended periods or when permissible exposure levels may be exceeded.

FIRST AID TREATMENT: This product contains silica sand, portland cement and may cause serious eye damage if swallowed, call a Poison Control Centre or doctor immediately. Rinse mouth and do not induce vomiting. If in eyes, rinse with water; remove contact lenses if easy to do; continue rinsing for up to 15 minutes, rinse well with water. If on clothes, remove clothes. You cannot rely on pain to alert you.